

Sell-Through Merchandise Security

2020 Product Catalog



Contents

- InVue Overview..... 1
- Secure Fixtures 2
 - Locking Hooks..... 3
 - Flexible Locking Hooks 8
 - StopLoks..... 12
 - Dispensers..... 16
 - Anti-Sweep Hooks..... 19
- Package Protection..... 20
 - Detachers 21
 - Safers..... 23
 - Package Wraps..... 25
 - Cable Lock..... 27
 - Bottle Cap..... 29
- Keys..... 31
 - IR Key (OneKEY)..... 32
 - OM Key 33
 - Q4 Key (S3 equivalent) 34
- Global Partner Support..... 35
- InVue Customer Service Centers..... 37

An intelligent, connected, security and merchandising technology platform that promotes and secures all merchandise at retail.



InVue is a global technology company that provides retailers and brands with innovative merchandising, software and security solutions. Our products seamlessly promote and secure retail merchandise, enhancing the in-store experience to improve our customers' profits.


We back our commitment with a 90,000 square foot innovation, quality, design and service center in Charlotte, NC. Our quality control facilities in Charlotte and China, use custom designed testing equipment to simulate actual, daily in-store use of our products.

Secure Fixtures

From innovative dispensers to flexible locking hooks — our secure fixtures are designed to be easy to use and tough to defeat.



Secure Fixture Family Overview:



InVue's Locking Hooks offer the highest level of peg hook security.



OneKEY (IR) Locking Hooks



OM (SH500) Locking Hooks



Q4 (S3) Locking Hooks

At a glance:

FEATURES AND BENEFITS

- › Engineered external body provides increased strength and enhanced resistance to attacks
- › Locking collar secures hook to the wallboard providing high level of security for hanging merchandise and premium accessories
- › Integrated lock and swivel design allow easy access to load and unload hooks
- › Locking Hook base is engineered to lock and unlock easily for quick planogram updates
- › Compatible with Fastbak system for an easy fit with a variety of slatwall features

ONEKEY LOCKING HOOKS

- › OneKEY compatibility for fast access to merchandise to better serve the consumer
- › IR locking system provides superior security versus traditional magnetic or mechanical locks
- › OneKEY times out after 12 hours, making a lost or stolen key useless
- › Engineered external body provides increased strength and enhanced resistance to attacks
- › Locking Hook base is engineered to lock and unlock easily for quick planogram updates
- › Integrated lock with swivel design allows for easy access to load and unload merchandise
- › Compatible with Fastbak system for an easy fit with a variety of slatwall features

Order Code	Wallboard / Description	Hook Length
NL6	American Pegboard	6" / 15cm
NL6-B*	American Pegboard (Black plastics)	6" / 15cm
NLBAR2*	American Hangbar	6" / 15cm
NL7	American Pegboard	7" / 18cm
NL7-NT*	American Pegboard (No info tag)	7" / 18cm
NL7-CPT*	American Pegboard (Custom price tag dimensions)	7" / 18cm
NL7FB	Slatwall/Fastbak	7" / 18cm
NL7FB-NT	Fastbak (No info tag)	7" / 18cm
NL9	American Pegboard	9" / 23cm
NL9-NT*	American Pegboard (No info tag)	9" / 23cm
NL9-CPT*	American Pegboard (Custom price tag dimensions)	9" / 23cm
NL9-BB*	American Pegboard (Black plastics; Black wire)	9" / 23cm
NL9SA*	American Pegboard (Has shorter pegboard inserts/"antlers")	9" / 23cm
NL9E	European Pegboard	9" / 23cm
NL9FB	Slatwall/Fastbak	9" / 23cm
NL9FB-NT*	Fastbak (No info tag)	9" / 23cm
NL11*	American Pegboard	11" / 28cm
NL12*	American Pegboard	12" / 30.5cm

*Non-Stock Items

OM LOCKING HOOKS (SH500)

- › Patented magnetic locking system provides a high level of key security
- › Hooks safely lock to the retail fixture without damaging the backing material
- › Base is engineered to lock and unlock easily for quick planogram set-ups
- › Locks merchandise on the hook
- › Utilizes OM Key to lock and unlock the front/back of hook

Order Code	Wallboard / Description	Hook Length
SFL05	American Pegboard	7" / 18cm
SFL05-8*	American Pegboard (Alternative pack quantities)	7" / 18cm
SFL05K	American Pegboard (Black plastics)	7" / 18cm
SFL05FB	Slatwall/Fastbak	7" / 18cm
SFL05-0BB0*	Slatwall/Fastbak (Comes with pre-installed slatwall spacers)	7" / 18cm
SFL05BAR1*	Hangbar	7" / 18cm
SFL0G3K*	Wire Grid	7" / 18cm
SFL01	American Pegboard	9" / 23cm
SFL01K	American Pegboard (Black plastics)	9" / 23cm
SFL01H*	American Pegboard (Includes wall reinforcement bracket)	9" / 23cm
SFL01E*	European Pegboard	9" / 23cm
SFL01FB	Slatwall/Fastbak	9" / 23cm
SFL01G2*	Wire Grid	9" / 23cm
SFL03	American Pegboard	12" / 30.5cm

*Non-Stock Items

Q4 LOCKING HOOKS (S3)

- › Loading and unloading is quick and easy
- › Merchandise can be easily removed by store employees with the Q4 Key
- › Protects a wide range of high-theft merchandise

Order Code	Wallboard / Description	Hook Length
SHL6*	American Pegboard	6" / 15cm
SHL6-5*	American Pegboard (Alternative pack quantities)	6" / 15cm
CVS-SHL6-19*	American Pegboard (Alternative pack quantities)	6" / 15cm
CVS-SHL6-30*	American Pegboard (Alternative pack quantities)	6" / 15cm
SHL6W	Slatwall/Fastbak	6" / 15cm
SHL9	American Pegboard	9" / 23cm
SHL9-5CT*	American Pegboard (Alternative pack quantities)	9" / 23cm
SHL9-10*	American Pegboard (Alternative pack quantities)	9" / 23cm
SHL9-18*	American Pegboard (Alternative pack quantities)	9" / 23cm
SHL9-32*	American Pegboard (Alternative pack quantities)	9" / 23cm
TGT-SHL9-5	American Pegboard (Alternative pack quantities)	9" / 23cm
SHL11	American Pegboard	11" / 28cm
TGT-SHL12-25*	American Pegboard (Alternative pack quantities)	12" / 30.5cm

*Non-Stock Items

ACCESSORIES

Tags

Order Code	Face	Description	Tag Length
SHT*	Open	Ext. Dim. 1.36" x 1.86" x .27"	1.8" / 46mm
SHT25	Open	Ext. Dim. 1.36" x 1.86" x .27"	1.8" / 46mm
SHT-2.0*	Closed	Info tag holder	2" / 50.8mm
SHT-2.25-25*	Closed		2.25" / 57mm
SHT-2.50-25	Closed	Ext. Dim. 1.36" x 1.86" x .27"	2.5" / 64mm
SHTA003*	Open		2.6" / 66mm
SHTA002*	Open		3.4" / 86mm
SHT-3.5	Closed	Ext. Dim. 1.36" x 1.86" x .27"; Use on SF2LOK01	3.5" / 89mm
SHT-3.5-S	Closed	Ext. Dim. 1.36" x 1.86" x .27"; Use on SF2LOK01	3.5" / 89mm

Adapters

Order Code	Wallboard / Description	Pack Quantity
SFBP01	Bar (Designed to fit specific bar dimensions)	1
SFBP02	Bar (Designed to fit specific bar dimensions)	1
SFBP01-4*	Bar	4
SFBP01-5*	Bar	5
SFBP01	Wire Grid	1
SFBP01-4*	Wire Grid	4
SFBP01-5*	Wire Grid	5
SFBP03*	Flat Bar (Designed to fit specific bar dimensions)	1

Slatwall/Fastbak Spacers (for IR & OM Locking Hooks Only)

Order Code	Description	Hole Location	Thick/Thin Spacer
BPMB*	Black	Metal	Thick
BPPB*	Black	Plastic	Thick
BPMW*	White	Metal	Thin
BPPW*	White	Plastic	Thin


Removal Tool (for IR & OM Locking Hooks Only)

Order Code	Description
OM-RT*	OM Removal Tool


*Non-Stock Items



Open Face Tag



Closed Face Tag



Bracket on Bar



Bracket on Grid

Spacers / Plastic Hole Location



Spacers / Metal Hole Location

Flexible security for today's premium accessories.



OneKEY (IR) Flexible Locking Hooks



OM (SH500) Flexible Locking Hooks

At a glance:

FEATURES AND BENEFITS

- › Engineered for associates to easily lock and unlock for quick planogram updates
- › Securely attaches to wall board
- › StopLok provides the flexibility to protect all or a selection of merchandise on the hook
- › Cost effective solution to protect high value accessories or other merchandise
- › StopLok and Flexible Locking Hook provide a high-security solution when used together; StopLok can be purchased separately and used with existing hardware to enhance your current environment

ONEKEY FLEXIBLE LOCKING HOOKS

- › Compatible with InVue’s exclusive OneKEY and part of the OneKEY ecosystem
- › Engineered for associates to easily lock and unlock for quick planogram updates
- › Securely attaches to wall board
- › StopLok provides the flexibility to protect all or a selection of merchandise on the hook
- › Cost effective solution to protect high value accessories or other merchandise
- › StopLok and Flexible Locking Hook provide a high-security solution when used together; StopLok can be purchased separately and used with existing hardware to enhance your current environment

Single Wire		
Order Code	Wallboard / Description	Hook Length
NFLOK5.5*	American Pegboard	5.5" / 14cm
SFLOK15S-NS6*	American Pegboard	5.5" / 14cm
SFLOK15E-NS6*	European Pegboard	5.5" / 14cm
SFLOK15S-NS6*	Slatwall/Fastbak	5.5" / 14cm
SFLOK15F-NS6*	Hangbar	5.5" / 14cm
SFLOK16F-NS6*	Hangbar	7.75" / 20cm
Double Wire		
Order Code	Wallboard / Description	Hook Length
NF2LOK5*	American Pegboard	5" / 13cm
NF2LOK7	American Pegboard	7" / 18cm
NF2LOK7E*	European Pegboard	7" / 18cm
NF2LOK9	American Pegboard	9" / 23cm
NF2LOK9E*	European Pegboard	9" / 23cm

*Non-Stock Items

OM FLEXIBLE LOCKING HOOKS (SH500)

- › Patented magnetic locking system provides high-level key security
- › Allow retailers to select the number of “live” and “locked” merchandise items
- › Safely lock to the retail fixture without damaging the backing material
- › Base is engineered to lock and unlock easily for quick planogram set-ups
- › Utilizes OM Key to lock and unlock the back of hook and stoplok

Single Wire		
Order Code	Wallboard / Description	Hook Length
SFLOK15E*	European Pegboard	5.5" / 14cm
SFLOK15S	Slatwall/Fastbak	5.5" / 14cm
SFLOK15F	Hangbar	5.5" / 14cm
SFLOK16F*	Hangbar	7.75" / 20cm
Double Wire		
Order Code	Wallboard / Description	Hook Length
SF2LOK05E*	European Pegboard	7" / 18cm
SF2LOK01	American Pegboard	9" / 23cm
SF2LOK01FB*	Slatwall/Fastbak	9" / 23cm

*Non-Stock Items

ACCESSORIES

Tags

Order Code	Face	Description	Tag Length
SHT*	Open	Ext. Dim. 1.36" x 1.86" x .27"	1.8" / 46mm
SHT25	Open	Ext. Dim. 1.36" x 1.86" x .27"	1.8" / 46mm
SHT-2.0*	Closed	Info tag holder	2" / 50.8mm
SHT-2.25-25*	Closed		2.25" / 57mm
SHT-2.50-25	Closed	Ext. Dim. 1.36" x 1.86" x .27"	2.5" / 64mm
SHTA003*	Open		2.6" / 66mm
SHTA002*	Open		3.4" / 86mm
SHT-3.5	Closed	Ext. Dim. 1.36" x 1.86" x .27"; Use on SF2LOK01	3.5" / 89mm
SHT-3.5-S	Closed	Ext. Dim. 1.36" x 1.86" x .27"; Use on SF2LOK01	3.5" / 89mm

Adapters

Order Code	Wallboard / Description	Pack Quantity
SFBP01	Bar (Designed to fit specific bar dimensions)	1
SFBP02	Bar (Designed to fit specific bar dimensions)	1
SFBP01-4*	Bar	4
SFBP01-5*	Bar	5
SFBP01	Wire Grid	1
SFBP01-4*	Wire Grid	4
SFBP01-5*	Wire Grid	5
SFBP03*	Flat Bar (Designed to fit specific bar dimensions)	1

Slatwall/Fastbak Spacers (for IR & OM Locking Hooks Only)

Order Code	Description	Hole Location	Thick/Thin Spacer
BPMB*	Black	Metal	Thick
BPPB*	Black	Plastic	Thick
BPMW*	White	Metal	Thin
BPPW*	White	Plastic	Thin


Removal Tool (for IR & OM Locking Hooks Only)

Order Code	Description
OM-RT*	OM Removal Tool


*Non-Stock Items



Open Face Tag



Closed Face Tag



Bracket on Bar



Bracket on Grid



Metal Hole Location

Enhanced, flexible security for hanging merchandise.



OneKEY (IR) StopLoks

OM (SL500) StopLoks

Q4 (S3) StopLoks

At a glance:

FEATURES AND BENEFITS

- › Engineered for associates to easily lock and unlock for quick planogram updates
- › Allows retailers to select the number of “live” and “locked” merchandise items on the hook
- › Provides a higher level of protection for items than traditional magnetic or mechanical hooks
- › The integrated lock and swivel design allows for easy access to load and unload merchandise
- › Engineered external body provides increased strength and enhanced resistance to attacks

ONEKEY STOPLOKS

- › Compatible with InVue’s exclusive OneKEY and part of the OneKEY ecosystem
- › Engineered for associates to easily lock and unlock for quick planogram updates
- › StopLok provides the flexibility to protect all or a selection of merchandise on the hook
- › Cost effective solution to protect high value accessories or other merchandise
- › StopLok can be purchased separately and used with existing hardware to enhance your current environment



Standard Style (Round Wire)			
Order Code	Frame/Body	Description	Wire Diameter
NS4*	Thin (6mm)		4.0mm
NS6A	Thin (6mm)		5.0mm
NS6B	Thin (6mm)		5.5mm
NS6B-B	Thin (6mm)	Black plastics	5.5mm
NS6C	Thin (6mm)		6.0mm
NS8A	Thick (8mm)		6.4mm
NS8B	Thick (8mm)		7.0mm
NS8B-B*	Thick (8mm)	Black plastics	7.0mm
NS8C	Thick (8mm)		8.1mm
Other Styles			
Order Code	Style	Description	
NS-FH01*	Flat Hook	Assembly	
NS-FH-SINGLE*	Flat Hook	StopLok Only	
NSLH-ESL*	Loop Hook	StopLok Only	
NSAP02*	Flat Hook	Hook Only	

*Non-Stock Items

OM STOPLOKS

- › Engineered for associates to easily lock and unlock for quick planogram updates
- › StopLok provides the flexibility to protect all or a selection of merchandise on the hook
- › Cost effective solution to protect high value accessories or other merchandise
- › Uses OM Key to lock/unlock StopLok



Thick Body



Long Body



Thin Body

Standard Style (Round Wire)

Order Code	Frame/Body	Description	Wire Diameter
SL4W	Thin Body		6.0mm
SL5K	Long Body	Black plastics	7.0mm
SL5R*	Long Body	Red plastics	7.0mm
SL8W	Thick Body		8.0mm

*Non-Stock Items

Q4 STOPLOKS

- › Works in conjunction with the Q4 Anti-Sweep Hook
- › Flexible — for every merchandising option
- › Combines the benefits of the Q4 Anti-Sweep Hook and the Q4 Locking Hook
- › Unlocks quickly and easily
- › Also works on common Anti-Sweep Hooks
- › EAS compatible (select models)



Single Tab



Double Tab

Standard Style (Round Wire)

Order Code	Frame/Body	Description	Wire Diameter
STOPLOK	Single Tab	Red plastics	5.5mm
STOPLOK-SALES ASSOC	Single Tab	Red plastics	6.0mm
STOPLOK- SALES ASC-10	Single Tab	Red plastics	6.0mm
S2LOK2NDL	Double Tab	Black plastics; Includes AM EAS coil	6.0mm
S2LOK2NDL-10	Double Tab	Black plastics; Alternative pack quantities; Includes AM EAS coil	6.0mm
S2LOK2RFL	Double Tab	Black plastics; Includes RF EAS coil	6.0mm
S2LOK2GR	Double Tab	Gray plastics	6.0mm
S2LOK2-ROSS	Double Tab	Customer specific	6.0mm

*Non-Stock Items

Self-service fixtures that increase sales while preventing theft.



T1000



Helix

At a glance:

FEATURES AND BENEFITS

- › Self-service fixture offers full customer service
- › Built in time delay prevents sweeping theft
- › Multiple coil sizes to accommodate a variety of merchandise packaging
- › Easy installation, works with any planogram

T1000 DISPENSER

- › Simple push of a button dispenses one item
- › Five second time delay deters thieves
- › Patented solution lets associates add merchandise easily but prevents sweeping
- › Easy to install, works with any planogram
- › Three coil sizes to accommodate various merchandise packaging
- › Uses MultiTool T22 bit for wallboard mounting

Dispenser & Replacement Coil

Order Code	Description	Coil Spacing
T1040	Dispenser	15mm
T1041	Dispenser; Includes anti-jam feature	30mm
T1042	Dispenser	50mm
T1047*	Replacement Coil; Alternative pack quantities	15mm
T1048	Replacement Coil; Alternative pack quantities; Includes anti-jam feature	30mm
T1049	Replacement Coil; Alternative pack quantities	50mm

Rod

Order Code	Wallboard / Description	Rod Length
T1046-A	American Pegboard	12" / 30.5cm
T1046-E	European Pegboard	12" / 30.5cm
T1046-S	Slatwall/Fastbak	12" / 30.5cm
T1046-UW*	Slatwall/Fastbak	12" / 30.5cm
T1046-A1	Hangbar	12" / 30.5cm
T1046-B1	Hangbar; Custom hangbar dimensions	12" / 30.5cm
T1046-B2	Hangbar; Custom hangbar dimensions	12" / 30.5cm
T1046-B3	Hangbar; Custom hangbar dimensions	12" / 30.5cm
T1046-B4	Hangbar; Custom hangbar dimensions; Left/right adjustment features	12" / 30.5cm
T1046-INS*	Hangbar: Includes insert	12" / 30.5cm
T1046-UW*	Uni-web	12" / 30.5cm

Add-Ons

Order Code	Description
AF6313	Multi Tool (for removal)
T1000-MTANG*	T1000 Coil Support – Upgrade Kit
T1046-AMETA*	American pegboard spacers
T1046-EMETAL*	European pegboard spacers
T1000-SHIM1	Shim (for T1046 Hangbar)

*Non-Stock Items

HELIX DISPENSER

- › More flexible and economical than bulky cabinet dispensers
- › Easy to use
- › Available in two sizes
- › Uses OM Key for install/removal

Dispenser			
Order Code	Wallboard / Decription	Dispenser Length	Coil Spacing
SFH03-20S*	American Pegboard	9" / 23cm	20mm
SFH03-15C*	American Pegboard; No switch	12" / 30.5cm	15mm
SFH03-20	American Pegboard; Time delay; Includes protective shroud	12" / 30.5cm	20mm
SFH03-20-6	American Pegboard; Alternative pack quantities	12" / 30.5cm	20mm
SFH03-20C*	American Pegboard; No switch	12" / 30.5cm	20mm
SFH03-20L	American Pegboard; No switch; Includes metal wallboard shim	12" / 30.5cm	20mm
SFH03-35*	American Pegboard; Time delay; Includes protective shroud	12" / 30.5cm	35mm
SFH03-20T*	Hangbar	12" / 30.5cm	20mm
SFH03-35T	Hangbar	12" / 30.5cm	35mm
SFH03-20UW*	Uni-web	12" / 30.5cm	20mm
Add-Ons			
Order Code	Decription		
OM-RT*	OM Removal Tool		
SFH03-STOP*	Helix Stopper		
SFSHM01*	Shim; For wallboard		

*Non-Stock Items

Self-service fixtures with built in time delay to prevent sweeping theft.

Q4 Anti-Sweep Hook



At a glance:

FEATURES AND BENEFITS

InVue's Anti-Sweep Hooks allow you to open display high-shrink merchandise while providing the security you require. Anti-Sweep Hooks provide customers with easy access to high-turn merchandise while discouraging grab and run shoplifting.

- › Hooks securely lock to wallboard
- › Exaggerated curve allows only one product to be removed at a time
- › Flexible — for every merchandising option
- › Unlocks quickly and easily

Q4 ANTI-SWEEP HOOK

Single Wire

Order Code	Wallboard / Description	Hook Length
SHS9SR*	American Pegboard	9" / 23cm

Double Wire

Order Code	Wallboard / Description	Hook Length
SHS9*	American Pegboard	9" / 23cm

*Non-Stock Items

Package Protection

Provides superior protection for high-value merchandise. Designed for ease of use and a wide range of applications.



Provides quick detaching and full authorization control for seamless checkout operations and immediate customer service.



OneKEY Detacher

At a glance:

SEAMLESS CHECKOUT

Always powered and ready for rapid removal of security at checkout.

VERSATILITY

Multi-detaching for both OneKEY and magnetic solutions offers smooth transition to a single detacher.

BEST-IN-CLASS SECURITY

The only detacher with timeout and deauthorization, making it the most secure detacher available.

ONEKEY DETACHER

- › Quickly and securely detaches all OneKEY Package Protection products
- › Common magnet included which enables detaching of legacy magnetic solutions, in addition to InVue solutions
- › Deactivation button for immediate deauthorization
- › Authorized with OneKEY
- › Kink resistant cord with swivel, replaceable cable
- › 12-hour timeout window with unlimited usage
- › Compatible with Access Manager Software for managed authorization

Order Code	Description
AKD40	Detacher; Requires PS18V
AKD41	Cable
AKD49	Magnetic counter detacher
ADH2320	Replacement adhesive; 5 pack

*Non-Stock Items

Fully visible. Fully secure.



Safers

At a glance:

FEATURES & BENEFITS

Safers provide a secure enclosure for high value general merchandise that can be easily concealed and stolen. Designed for shelved or hanging merchandise, Safers offer full product visibility while protecting merchandise in a fully

enclosed housing with the security of OneKEY. The Safers cannot be defeated by magnets and hang tabs add additional security layers when used with InVue secure fixtures.

SAFERS

- › Strong polycarbonate box, hard to defeat
- › Works well in layered security configurations
- › Use the integrated, pull resistant hang tab with InVue Locking Hooks for added protection
- › Alarms EAS gates (AM or RF)
- › 8 Safer sizes available to fit a variety of merchandise for a number of industries


Order Code	Description	HEIGHT	WIDTH	DEPTH
NB6AM	Includes AM EAS coil	4.6"	4.1"	1.0"
NB6RF	Includes RF EAS coil	4.6"	4.1"	1.0"
NB11		4.95"	4.95"	2.66"
NB5		5.5"	5.8"	1.8"
NB5-S	Swivel Tag	5.5"	5.8"	1.8"
NB3		7.25"	7.0"	2.75"
NB3-S	Swivel Tag	7.25"	7.0"	2.75"
NB2		8.0"	5.5"	1.375"
NB2-S	Swivel Tag	8.0"	5.5"	1.375"
NB1		8.0"	5.5"	1.75"
NB1-S	Swivel Tag	8.0"	5.5"	1.75"
NB10		8.5"	6.0"	0.9"
NB4		10.25"	7.25"	2.5"
NB4-S	Swivel Tag	10.25"	7.25"	2.5"

Add-Ons

Order Code	Description
NBTAG	Hang Tag; Only works with NB6 & NB11; 20 pack

*Non-Stock Items

The industry leading security of OneKEY technology.



Small Package Wrap



Large Package Wrap

At a glance:

FEATURES & BENEFITS

- › The only Wrap solution not vulnerable to magnet defeats
- › Protection for a wide range of boxed merchandise intended for display on shelves and hooks
- › Features a simple push-to-arm button and a twist-to-tighten design that makes it simple and easy to use
- › Low-profile design ensures maximum visibility of the package graphics and information
- › Both Package Wrap sizes provide full storage of the steel cable inside the unit for tangle-free storage and fast deployment
- › Utilize the OneKEY and are part of InVue's exclusive OneKEY ecosystem

PACKAGE WRAPS

- › Cannot be defeated by magnets; features 2-alarm security
- › Alarm housing ideal for small to large boxes and does not obstruct graphics and information
- › Robust ratcheting mechanism makes tightening quick, easy and application secure
- › Use for standard front-facing packages, or short side facing for stacking shallow boxes
- › Two sizes provide full storage of the steel cable inside the unit for tangle-free storage and fast deployment

Order Code	Description	Body Style	Cable Length
NW52	Small Package Wrap; Includes both AM & RF coils	Ratcheting	52" / 132cm
NW70	Large Package Wrap; Includes both AM & RF coils	Non-Ratcheting	70" / 178cm
NW100	Large Package Wrap; Includes both AM & RF coils	Ratcheting	102" / 259cm
NW102	Large Package Wrap; Includes both AM & RF coils	Non-Ratcheting	102" / 259cm

Add-Ons

Order Code	Description
NW-HANGTAB	Hang Tag; 20 pack

*Non-Stock Items

The only Soft Goods security
not vulnerable to magnets.



Cable Lock

At a glance:

FEATURES & BENEFITS

- › 95 dB alarm
- › Steel cable for added security strength
- › 6" and 48" cable lengths secure a variety of products
- › Blinking red LED light to deter thieves



CABLE LOCK

- › Cannot be defeated by magnets; Disarm/Unlock with InVue OneKEY
- › Elegant design matches high-end aesthetics of protected merchandise
- › Quick and easy to install with an audible “chirp” when armed
- › Ideal for wide range of products in retail stores



Order Code	Description	EAS Coil	Cable Length
NCSAM2	2-Alarm Cable Lock	AM	6" / 15cm
NCSRF2	2-Alarm Cable Lock	RF	6" / 15cm
NCLAM2	2-Alarm Cable Lock	AM	48" / 122cm
NCLRF2	2-Alarm Cable Lock	RF	48" / 122cm
NC70AM2*	2-Alarm Cable Lock	AM	70" / 178cm
NC70RF2*	2-Alarm Cable Lock	RF	70" / 178cm
NC3RF3-C*	3-Alarm Cable Lock; Custom firmware	RF	3" / 8cm
NCSAM3-50*	3-Alarm Cable Lock; 50Hz power	AM	6" / 15cm
NCSAM3-60*	3-Alarm Cable Lock; 60Hz power	AM	6" / 15cm
NCSRF3-C*	3-Alarm Cable Lock; Custom firmware	RF	6" / 15cm
NCLAM3-50*	3-Alarm Cable Lock; 50Hz power	AM	48" / 122cm
NCLAM3-60*	3-Alarm Cable Lock; 60Hz power	AM	48" / 122cm
NCLRF3*	3-Alarm Cable Lock	RF	48" / 122cm

Add-Ons

Order Code	Description
NC-CLIP*	Cable Lock clip for golf club shaft

*Non-Stock Items

The only bottle security that cannot be defeated by magnets.



At a glance:

FEATURES & BENEFITS

- › Prevents theft and on-site consumption of wine and/or bottled spirits
- › Easy application and tightening process
- › One button push to lock; part of the OneKEY ecosystem
- › AM or RF gate detection
- › Three sizes available — small, medium, large

BOTTLE CAP

- › Twist tightening mechanism does not damage foil covers or tamper labels
- › Clear cap reveals bottle wrapping and protects against on-site consumption
- › Available in three sizes:
 - Small: 24mm - 31mm bottles
 - Medium: 31mm - 36mm bottles
 - Large: 36mm - 41mm bottles

Order Code	Description	EAS Coil	Bottle Top Diameter
NBCS-AM	Small Bottle Cap	AM	24 – 31mm
NBCS-RF	Small Bottle Cap	RF	24 – 31mm
NBCM-AM	Medium Bottle Cap	AM	31 – 36mm
NBCM-RF	Medium Bottle Cap	RF	31 – 36mm
NBCL-AM	Large Bottle Cap	AM	36 – 41mm
NBCL-RF	Large Bottle Cap	RF	36 – 41mm

*Non-Stock Items

Key Technology

Give every associate a key to increase sales, decrease theft and improve safety.



IR KEY (ONEKEY)

- › 12 hour time out protection against key theft
- › Transfers power and data to a wide range of security products
- › Assigns a unique code to a store or department for better key management
- › Create store zones and audit use to reduce internal theft



IR Key



IR2 Key



IR3 Key

Order Code	IR Version	Description
AF4400	IR Key	Grey button; Includes fob
AF4400-T	IR Key	No time out feature
AF4400K3*	IR Key	No time out feature; Fixed code
PK4400	IR2 Key	
PK4491	IR2 Key	No split ring; Recoiler
AF4450*	IR3 Key	Kit (2 keys)
AK4400	IR3 Key	
AK4500	IR3 Key	Includes contacts
AK4500-S	IR3 Key	Includes contacts; Sounder

*Non-Stock Items

OM KEY

- › The Orthogonal Magnet OM Key™ generates a perpendicular force that provides a more secure interface with the internal socket and shuttle mechanism. The keys come standard with EAS coils (AM or RF) included



OM Key



OM/Q4 Combo Key

Order Code	Description	EAS Coil
SFKEYND	Recoiler; Includes fob	AM
SFKEY3ND	OM/Q4 combo	AM
SFKEYNDRL	Recoiler	AM
SFKEY3NDRL	OM/Q4 combo; Recoiler	AM
SFKEYRF	Recoiler; Includes fob	RF
SFKEY3RF*	OM/Q4 combo	RF
SFKEYRFRL	Recoiler	RF
SFKEY3RFRL	OM/Q4 combo; Recoiler	RF
Add-Ons		
Order Code	Description	
Q4IREEL3	Belt Recoiler	

*Non-Stock Items

Q4 KEY (S3 EQUIVALENT)

- › Secure locking and key interface mechanics
- › Design fits into many retail environments
- › Designed to work effectively with InVue Q4 (S3) Secure Fixtures Line
- › Belt recoiler provides easy “on-the-floor” retail associate use
- › Available in AM & RF EAS coils



Q4 Key

Order Code	Description	EAS Coil
Q4KEYNDRL	Recoiler	AM
Q4KEYND		AM
Q4KEYRFRL*	Recoiler	RF
Q4KEYRF		RF
Q4IHKCVRFL*	Customer specific label	RF

*Non-Stock Items

GLOBAL PARTNER SUPPORT

COUNTRY	COMPANY	URL	PHONE
Region: APAC			
Australia	Vitag Pty Ltd		+61 388734100
Hong Kong	ETG		+852 35201751
India	Adtech Systems Ltd.		+91 4712433805
Indonesia	PT Delapan Roda Handal		+62 215874510
Japan	ADSEC Co.,Ltd.		+81 353041261
Malaysia	Creative Retail Solutions Sdn Bhd		+603 78808949
New Zealand	Vitag Security Solutions Ltd		+64 292382856
Pakistan	Equipment Supply International		+9221 35845992
Philippines	LRC Engineering Options		+63 7258114
Singapore	Soverus Kingdom Systems Pte Ltd		+662 73544758
South Korea	Hyundai Security World		+82 5025760777
Taiwan	Taiwan Anjing Tech Co., Ltd.		+886 225031348
Thailand	Secure Solutions Asia Co., Ltd		+65 68349523
Region: EU			
Albania	Globalnet		+355 4 2246977
Austria	METO FENIX Handels GmbH		+43 1616241110
Belgium	Resatec		+329 3820084
Bulgaria	Smarttech		+359885524252
Croatia	PERAN LLC		+385 14822286
Czech	Tyco Fire & Integrated Solutions sro		+420 511120252
Denmark	PR Trading a/s		+45 44953322
Finland	Fenix Sign Oy		+358 405403636
France	Corak		+331 64425604
Greece	Easy Busi Ltd.		+302 108060035
Hungary	Wegatech Kft.		+36 1 2321481
Ireland	POSTech Ltd		+353 872436607
Italy	Nedap Italy		+39 02 26 708 493
Lithuania	Altum Retail		+370 68652122
Norway	Gate Security AS		+46 54536600
Poland	Corak Polska		+48 609 493 888
Portugal	Gateway LDA Portugal		+351 214467420

COUNTRY	COMPANY	URL	PHONE
Region: EU			
Romania	S.C. Avatar Security srl		+40 75 2216672
Russia	JSB Shop Ltd		+7 49 598884417
Spain	GSP - Global Security Products		+34 916 520 840
Sweden	Gate Security AB		+46 54536600
Switzerland	Telsec ESS Schweiz		+41 848770770
Region: LATAM			
Brazil	Droid Group		1 55 1127134444
Brazil	Metallight Gondolas		55 6240089595
Chile	Grupo MST		56 2 23492228
Colombia	SCB Comercial		573 138318773
Mexico	Maxcess Security		52 5590001582
Region: MEA			
Egypt	Jovi Tronix		+20 238517020
Israel	A. SBITANY & SONS LTD		+972 732911922
Israel	G4S Security Technologies Ltd.		+972 39195560
Jordan	Moh'd Albakhit & Partner Co.		+962 65513636
KSA	Bonian Mostaqbal		+44 3451657235
Kuwait	Alroumi Solutions Co		+965 1810810
Lebanon	Digital Technologies S.A.R.L.		+961 01236110
Mauritius	Alkatech LTD		+230 4688039
Nigeria	Moore Advice		+234 8035354000
South Africa	High Shrink Solutions		+27 114626455
Tunisia	Tunisia Media Technology		+216 20559316
Turkey	Salus Guvenlik Cozumleri Ltd		+90 2122458694
UAE	Techpass DMCC		+971 45548169

NORTH AMERICA

9201 Baybrook Lane
Charlotte, NC 28277
United States

Phone:

+1.888.55.INVUE
+1.514.612.1555 (Quebec)

Fax:

+1.704.919.3060

LATIN AMERICA

Av Insurgentes Sur #730 Piso
1 Oficina 112
Col. Del Valle. C.P.03100
Mexico D.F.

Phone:

+52 55.1168.9635

**EUROPE, MIDDLE EAST &
AFRICA**

Saturnusstraat 17d
2132 HB Hoofddorp
The Netherlands

EMEA Office Phone:

+31 (0)23 8900150

Phone:

+31 23.8900150 (Netherlands)
+49 (0)30.30807935 (Germany)
+44 800.028.8230 (UK)

Fax:

+31.23.8900151

ASIA PACIFIC

Unit 1910, 19/F Skyline Tower,
39 Wang Kwong Road,
Kowloon Bay,
Hong Kong SAR.

Phone:

+852.3127.6811

invue.com

©2020 InVue Security Products. No endorsement of InVue products has been made by any of the manufacturers of the products shown. Product is sold pursuant to InVue's warranty which can be found at www.invue.com/warranty.



rev. 08/27/20

